INDEX
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 55, 1982
AUTHOR INDEX*

ACCETTA, A. AND VERGNAUD, J. M., Rubber recycling—upgrading of scrap rubber powder by vulcanization. II, (4) 961
——, Vibration isolation properties of vulcanizates of scrap rubber powder, (2) 328
ADAMS, G. C., Understanding toughness measurements—impact strength by Izod (abstract), (5) 1591
ALBIN, L. D., Current trends in fluoroelastomer development (review), (3) 902
APOTHEKER, D., FINLAY, J. B., KRUSIC, P. J., AND LOGOTHETIS, A. L., Curing of fluoroelastomers by peroxides, (4) 1004
AUCHER, J. F., The outlook for thermoplastic elastomers in the eighties (abstract), (1) 270

BANIGAN, T. F., VERBISCAR, A. J., AND ODA, T. A., An infrared spectrophotometric analysis for natural rubber in guayule shrubs, (2) 407
BARNES, C., see SYLVEST, R. T., (abstract), (1) 262
BATSBERG, W. A., A direct experimental determination of the elastic contribution of chain entangling in a tightly crosslinked elastomer, (1) 62
BEATTY, J. R. AND MIKSCH, B. J., A laboratory cutting and chipping tester for evaluating off-the-road and heavy duty tire treads, (5) 1531
BECKMAN, J. A., see LOHR, D. F., (abstract), (1) 271
BELL, G. L., STINSON, D., AND THOMAS, A. G., Measurement of tensile strength of natural rubber vulcanizates at elevated temperature, (1) 66
BHOWMICK, A. K., Ridge formation during the abrasion of elastomers, (4) 1055
——, see CHAKRABORTY, S. K., (1) 41
——, see MATHEW, N. M., (1) 51
——, see PAL, P. K., (1) 23
BÖHM, G. G. A. AND TVEEKREM, J. O., The radiation chemistry of elastomers and its industrial applications (review), (3) 575
BOOZER, C. E., HOCK, E. G., AND KARG, R. F., Elastomers for injection molding (abstract), (1) 282
BOTHE, LOTHAR AND REHAGE, GUENTHER, Autohesion of elastomers, (5) 1308
BRANTLEY, H. L., Control of laboratory mixing by use of a power integrator (abstract), (5) 1589
BRIGGS, G. J., WEI, Y. K., HOLMES, J. M., AND WALKER, J., Reduced rolling resistance with SBR (abstract), (1) 262
BRUNETTE, C. M. AND MACKNIGHT, W. J., Thermal transition and relaxation behavior of polybutadiene polyurethanes based on 2,6-toluene diisocyanate, (5) 1413
BUCKNALL, C. B., The effective use of rubbers as toughening agents for plastics (abstract), (5) 1589
BURFORD, R. P. AND PITTOLO, M., Characterization and performance of powdered rubber, (5) 1233
BUSH, RICHARD B., Fluorosilicones—compounding for extended flex life (abstract), (1) 272

CAMPBELL, R. R., STIVERS, D. A., AND KOLB, R. E., Fluoroelastomer applications for pollution control in the automotive, petrochemical, and electrical power industries (4) 1137
CAMPBELL, W. C., Industrial products markets in the eighties (abstract), (1) 259
CARMAN, C. J., see PAUSCH, J. B., (abstract), (1) 254
CHAKRABORTY, S. K. AND DE, S. K., Silica- and clay-reinforced carboxylated nitrile rubber vulcanized by a mixed crosslinking system, (4) 990

* Prepared by L. W. Brock

CHAKRABORTY, S. K., BHOWMICK, A. K., AND DE, S. K., Scanning electron microscopy studies of tear of carboxylated nitrile rubber, (1) 41
CHAKRABORTY, S. K., SETUS, D. K., AND DE, S. K., Short jute fiber reinforced carboxylated nitrile rubber, (5) 1286
CHARSLEY, E. L. AND DUNN, J. G., The application of thermogravimetry (TG) to the characterization and quantitative determination of carbon blacks, (2) 382
CHEN, C. H., COLLINS, E. A., SHELTON, J. R., AND KOENIG, J. L., Compounding variables influencing the reversion process in accelerated curing of natural rubber, (4) 1221
CHEN, C. H., KOENIG, J. L., SHELTON, J. R., AND COLLINS, E. A., The influence of carbon black on the reversion process in sulfur-accelerated vulcanization of natural rubber, (1) 103
COLEMAN, M. L., Hytrel polyester elastomer (abstract), (5) 1580
COLLINS, E. A., see CHEN, C. H., (1) 103; (4) 1221
COPLEY, BRUCE C., Tackification studies of natural rubber/styrene-butadiene rubber blends, (2) 416
CORAN, A. Y., PATEL, R. P., AND WILLIAMS, D., Rubber-thermoplastic compositions. Part V. Selecting polymers for thermoplastic vulcanizates, (1) 166; (addendum) (2) 536
——, Rubber-thermoplastic compositions. Part VI. The swelling of vulcanized rubber-plastic compositions in fluid, (4) 1063
CORNELIUS, D. J., see MONROE, C. M., (abstract), (1) 266
CORNELL, W. H., see KLIEVER, L. B., (abstract), (1) 284
COWELL, R. D., Thermoplastic polyurethane elastomers: chemistry, properties and processing for the 80's (abstract), (5) 1586

DANILOWICZ, P. A., see LARSEN, L. C., (abstract), (1) 284
DANNENBERG, E. M., Filler choices in the rubber industry (review), (3) 860
DE, S. K., see CHAKRABORTY, S. K., (1) 41; (4) 990; (5) 1286
——, see MATHEW, N. M., (1) 51
——, see MURTY, V. M., (2) 287
——, see PAL, P. K., (1) 23; (5) 1370
DE, ESKINAZI, J. AND RIDHA, R. A., Finite element analysis of giant earthmover tires, (4) 1044
DEPUY, D. D., Liquid nitrogen deflashing and equipment (abstract), (1) 256
DIEM, H. E., see LATTIMER, R. P., (2) 442
DILLHOEFER, J. R., see PARIS, W. W., (2) 494
DIMELER, G. R., see RECCHUITE, A. D., (5) 1437
DINBERGS, K., see SCHOLLENBERGER, G. S., (1) 137
DUNN, J. G., see CHARSLEY, E. L., (2) 382
DUPUIS, I. C., see ECKERT, R. C., (abstract), (1) 283
DUŠEK, K., Formation and structure of end-linked elastomer networks, (1) 1
DWORKIN, DAVID, Overview of rubber product markets in the eighties (abstract), (1) 258

EBEL, L. G., The role of market research in the rubber industry of the eighties (abstract), (1) 267
ECKERT, R. C., DUPUIS, I. C., AND LEIBU, H. J., Injection molding of SCM synthetic rubber (abstract), (1) 283
EDDY, J. D. AND KANE, R. P., New fluoroelastomers with outstanding resistance to harsh fluids (abstract), (1) 271

FERRY, JOHN D. AND FITZGERALD, EDWIN R., Dynamic mechanical properties of a carbon black-loaded butyl rubber vulcanizate and a carbon black-loaded polyisobutylene, (5) 1403
FERRY, JOHN D., see FITZGERALD, EDWIN R., (5) 1569
FETTERS, L. J., see KOW, C., (1) 245
FINLAY, J. B., see APOTHEKER, D., (4) 1004
——, see TABB, D. L., (4) 1152
FITHIAN, L. E., Where TPE's do and don't fit *versus* conventional rubbers (abstract), (5) 1580
FITZGERALD, EDWIN R., Response of carbon black-in-oil to low-amplitude dynamic stress at audiofrequencies, (5) 1547
——, AND FERRY, JOHN D., Dynamic mechanical properties for carbon black-in-oil: analysis of frequency and temperature dependence, (5) 1569
——, see FERRY, JOHN D., (5) 1403
FORD, J. L., see TURNER, J. L., (4) 1078

FOSTER, R. N., Unshakable facts about innovation (abstract), (5) 1586
FOVEAUX, M. T., Doing business in the rubber industry in the eighties (abstract), (1) 277
FRIES, H. AND PANDIT, R. R., Mastication of rubber, (2) 309
FUJITA, H., see KATO, H., (4) 949
FUSCO, J. V., Chlorobutyl development (abstract), (5) 1584

GENT, A. N., The role of chemical bonding in the adhesion of elastomers, (2) 525
—— AND HAMED, G. R., Some rheological aspects of the peel strength of rubbery adhesives, (2) 483
GILLHAM, J. K., Rubber modified epoxies: transitions, morphology, and mechanical properties (abstract), (5) 1592
GIUFFRIA, RUTH AND MARCELLI, ANGELA, Configuration of the brass on brass-plated steel wires in tire cords, (2) 513
GOETTLER, L. A., RICHWINE, J. R., AND WILLE, F. J., The rheology and processing of olefin-based thermoplastic vulcanizates (5) 1448
GOLUB, M. A., see SCHULZ, D. N., (3) 809
GOTTLIEB, M., MACOSKO, C. W., AND LEPSCH, T. C., Stress-strain behavior of randomly crosslinked polydimethylsiloxane networks, (4) 1108

HALASA, A. F., Recent advances in anionic polymerization (correction), (1) 253
HAMED, G. R., Morphology-property relationships in EPDM-polybutadiene blends, (1) 151
—— AND SHIEH, C. H., Flow criterion for elastomer tack, (5) 1469
——, see GENT, A. N., (2) 483
HANDS, D. AND HORSFALL, F., An accurate method of calculating cure cycles for rubber products (abstract), (1) 263
HARRELL, E. R., see NAKAJIMA, N., (2) 456; (5) 1426
HARWOOD, H. JAMES, Characterization of the structures of diene polymers by NMR (review), (3) 769
HAWS, J. R., see WILDER, C. R., (abstract), (1) 256
HIRST, ROBERT C., Applications of computerized nuclear magnetic resonance and infrared spectroscopic techniques to rubber analysis (review), (3) 913
HOCK, E. G., see BOOZER, C. E., (abstract), (1) 282
HOGEMAN, W. B., The outlook for rubber chemicals (abstract), (1) 274
HOLDEN, C., Current applications of styrenic block copolymers (abstract), (5) 1582
HOLMES, J. M., see BRIGGS, G. J., (abstract), (1) 262
HOOSER, E. R., see LATTIMER, R. P., (2) 442
HOPPIE, L. O., The use of elastomers in regenerative braking systems, (1) 219
HORNE, S. E., Creativity and innovation in elastomer research (abstract), (5) 1582
HORSFALL, F., see HANDS, D., (abstract), (1) 263
HULL, D. E., UCHIJIMA, K., AND MOROZUMI, M., Alfas—a unique elastomer based on a regularly alternating structure of tetrafluoroethylene and propylene (abstract), (1) 266
HURLEY, P. E., Natural rubber trends (abstract), (1) 269

JANZEN, JAY, Physicochemical characterization of carbon black (review), (3) 669
JENSEN, WILLIAM B., Lewis acid-base interactions and adhesion theory (review), (3) 881

KANE, R. P., see EDDY, J. D., (abstract), (1) 271
KARG, R. F., see BOOZER, C. E., (abstract), (1) 282
KATO, H. AND FUJITA, H., Development of synergistic curing systems for polychloroprene, (4) 949
KEAR, K. E., see LEDERER, D. A., (5) 1482
KELLER, R. W. AND STEPHENS, H. L., Degradative effects of guayule resin on natural rubber. II. Kinetic studies, (1) 161
KEMPERMANN, THEO, The relationship between heat buildup and the chemistry of cross-linking systems, (2) 382
KHALOL, H. AND KOSKI, U., Gas chromatography/mass spectrometry and accessories: characterization of residual trace organics in finished rubber articles (abstract), (1) 280
KLIEVER, L. B., CORNELL, W. H., AND SIMPSON, B. D., Effects of machine and compounding variables on the injection molding characteristics of styrene/butadiene thermoplastic elastomers (abstract), (1) 284
KLINGENSMITH, W. H., see LARSEN, L. C., (abstract), (1) 284
KLINGMANN, H., The development of the radial tire (abstract), (5) 1585
KNOX, ROGER E., Neoprene: the first high performance elastomer (abstract), (1) 264
KOENIG, J. L., see CHEN, C. H., (1) 103; (4) 1221

KOLB, R. E., see CAMPBELL, R. R., (4) 1137
KOSKI, U., see KHALIL, H., (abstract), (1) 280
KOW, C., MORTON, M., AND FETTERS, L. J., Glass transition behavior of polyisoprene: the influence of molecular weight, terminal hydroxy groups, microstructure, and chain branching, (1) 245
KRAUS, GERARD, Modification of asphalt by block polymers of butadiene and styrene, (5) 1389
KRESGE, E. W., see YOUNG, D. G., (2) 428
KRISHEN, A., Chromatographic techniques for analysis of rubber—concepts and applications (abstract), (1) 278
KRUSIC, P. J., see APOTHEKER, D., (4) 1004
KUHLS, G., see LEDERER, D. A., (5) 1482

LARSEN, L. C., KLINGENSMITH, W. H., AND DANILOWICZ, P. A., Processing agents to improve injection molding (abstract), (1) 284
LATTIMER, R. P., HOOSER, E. R., DIEM, H. E., AND RHEE, C. K., Analytical characterization of tackifying resins, (2) 442
LEDERER, D. A., KEAR, K. E., AND KUHLS, G. H., Diffusion of curvatives, (5) 1482
LEE, C. L., see MAXON, M. T., (1) 233
LEGGE, N. R., Thermoplastic elastomers based on three-block copolymers—a successful innovation (abstract), (5) 1579
LEIBU, H. J., see ECKERT, R. C., (abstract), (1) 283
LEPSCH, T. C., see GOTTLIEB, M., (4) 1108
LEVY, E. J., Application of a pyrolysis tuning procedure in the development of pyrolysis-gas chromatography patterns (abstract), (1) 277
LICKEI, D. L., see O'CONNOR, J. M., (1) 88
LINDLEY, P. B. AND STEVENSON, A., Fatigue resistance of natural rubber in compression, (2) 337
LOGOTHETIS, A. L., see APOTHEKER, D., (4) 1004
LOHR, D. F. AND BECKMAN, J. A., PNF phosphonitrile fluoroelastomer: properties and applications (abstract), (1) 271
LUNN, A. C. AND ONG, C. J., The adhesion of rubber to steel tire cord under cyclic loading (abstract), (1) 264

MACKNIGHT, W. J., see BRUNETTE, C. M., (5) 1413
MACOSKO, C. W., see GOTTLIEB, M., (4) 1108
MALCOMSON, R. W., Automotive elastomers: what's ahead in the eighties (abstract), (1) 260
MANAS-ZLOCZOWER, I., NIR, A., AND TADMOR, Z., Dispersive mixing in internal mixers—a theoretical model, (5) 1250
MARCELLI, ANGELA, see GIUFFRIA, RUTH, (2) 513
MARK, J. E., Experimental determinations of crosslink densities (review), (3) 762
——, Rubber elasticity, (4) 1123
—— AND SUNG, P. H., Chain extension studies relevant to the completeness of end-linking in elastomeric polyurethane networks, (5) 1464
MARTIN, J. W., PETERSON, E. R., AND MCCORMICK, H. E., Investigation of swelling as a quality assurance test for rubber (abstract), (1) 255
——, The adaptation of rubber for high-performance applications (abstract), (1) 273
MATHEW, N. M., BHOWMICK, A. K., AND DE, S. K., Chemical and scanning electron microscopy studies on fatigue failure of natural rubber vulcanizates, (1) 51
MAUER, J. J., Applications of thermal analysis in the rubber industry (abstract), (1) 281
MAXON, M. T. AND LEE, C. L., Effects of fumed silica treated with functional disilazanes on silicone elastomers properties, (1) 233
MAYERS, R. J. AND SEIL, D. A., Effects of long term fluid immersion properties of polyacrylic and ethylene/acrylic elastomers (abstract), (1) 255
MCBRIERTY, V. J., see WARDELL, G. E., (4) 1095
MCCORMICK, H. E., see MARTIN, J. W. (abstract), (1) 255
MCDONALD, L. S., Rubber tire markets in the eighties (abstract), (1) 259
MEDALIA, A. I., RIVIN, D., AND SANDERS, D. R., Comparison of carbon black with soot (abstract), (1) 257
MERGES, J., RECCHUITE, D., AND STEWART, R. G., The outlook for petroleum additives and plasticizers (abstract), (1) 275
MIKSCH, B. J., see BEATTY, J. R., (5) 1531
MONROE, C. M. AND CORNELIUS, D. J., Silicone rubber—not all its properties are related to thermal stability (abstract), (1) 266

MONTES, S. AND WHITE, J. L., A comparative rheological investigation of natural and synthetic cis-1,4-polyisoprenes and their carbon black compounds, (5) 1354
MORITA, E., Linear free energy relationship involving the properties of prevulcanization inhibitors, (2) 352
MOROZUMI, M., see HULL, D. E., (abstract), (1) 266
MORTON, M., see KOW, C., (1) 245
MULLINS, LEONARD, Adolph Schallamach, Charles Goodyear Medalist, (3) G66
MURTY, V. M. AND DE, S. K., Short jute fiber reinforced rubber composites, (2) 287
MYERS, J. A., The outlook for carbon black—the eighties: decade of decision (abstract), (1) 274

NAKAJIMA, N., Energy measures of efficient mixing (review), (3) 931
—— AND HARRELL, E. R., Calculation of complex viscosities from slow-speed transient torque measurements with the Mooney rheometer, (5) 1426
——, ——, and SEIL, D. A., Energy balance and heat transfer in mixing of elastomer compounds with the internal mixer, (2) 456
NICHOLAS, PAUL P., The scission of polysulfide crosslinks in scrap rubber particles through phase transfer catalysis, (5) 1499
NIR, A., see MANAS-ZLOCZOWER, (5) 1250.

O'CONNOR, J. M., SESSIONS, W. J., AND LICKEI, D. L., One-component heat curable urethane liquid elastomers, (1) 88
ODA, T. A., see BANIGAN, T. F., (2) 407
ONG, C. J., see LUNN, A. C., (abstract), (1) 264

PAL, P. K., BHOWMICK, A. K., AND DE, S. K., The effects of carbon black-vulcanization system interactions on natural rubber network structures and properties, (1) 23
PAL, P. K. AND DE, S. K., Effect of reinforcing silica on vulcanization, network structure, and technical properties of natural rubber, (5) 1370
PANDIT, R. R., see FRIES, H., (2) 309
PAPAS, L. J., see PAUSCH, J. B., (abstract), (1) 254
PARIS, W. W., DILLHOEFER, J. R., AND WOODS, W. C., Accelerator systems for injection molding, (2) 494
PARKS, C. R., Brass powder in rubber vulcanizates. The effect on adhesion, (4) 1170
PATEL, R. P., see CORAN, A. Y., (1) 116; (addendum) (2) 536; (4) 1063
PAUSCH, J. B., CARMAN, C. J., AND PAPAS, L. J., A molecular interpretation of hydrocarbon solvent resistance in nitrile and chlorinated rubbers (abstract), (1) 254
PECHHOLD, E. AND PRUCKMAYR, G., Polytetramethylene ether glycol: effect of concentration, molecular weight, and molecular weight distribution on properties of MDI/BDO-based polyurethanes, (1) 76
PETERSON, E. R., see MARTIN, J. W., (abstract), (1) 255
PITTOLO, M., see BURFORD, R. P., (5) 1233
PRUCKMAYR, G., see PECHHOLD, E., (1) 76
PURDIE, H., U.S.A. elastomer consumption outlook (abstract), (1) 268

RAMIREZ, R. R., see RAMOS-DEVALLE, L. F., (5) 1328
RAMOS-DEVALLE, L. F., Thermoplastic-guayule rubber blends—rheological properties, (5) 1341
——, AND RAMIREZ, R. R., Thermoplastic-guayule blends—compositions and mechanical properties, (5) 1328
RAPETSKI, W. A., The outlook for rubber processing equipment (abstract), (1) 276
RECCHUITE, A. D. AND DIMELER, G. R., The effect of petroleum extender oil types on the properties of a compounded radial styrene block thermoplastic, (5) 1437
——, see MERGES, J., (abstract), (1) 275
REHAGE, GUENTHER, see BOTHE, LOTHAR, (5) 1308
RHEE, C. K., see LATTIMER, R. P., (2) 442
RHOAD, M. J., World elastomer consumption outlood (abstract), (1) 268
RICHWINE, J. R., see GOETTLER, L. A., (5) 1448
RIDHA, R. A., see DE ESKINAZI, J., (4) 1044
RIGBI, ZVI, Reinforcement of rubbers by carbon black, (4) 1180
RIVIN, D. AND SMITH, R. G., Environmental health aspects of carbon black (review), (3) 707
——, see MEDALIA, A. I., (abstract), (1) 257

ST. CLAIR, D. J., Rubber-styrene block copolymers in adhesives, (1) 208
SAMBHI, M. S., Degradative studies related to the plasticity retention index of the standard Malaysian rubber scheme. I. Kinetics of degradation, (1) 181

SANDERS, D. R., see MEDALIA, A. I., (abstract), (1) 257
SCHALLAMACH, ADOLPH, What happens between tire and road (Charles Goodyear Medal Address), (3) G70
SCHLUETER, R. H., Injection molding—review of nontraditional techniques and concepts (abstract), (1) 285
SCHMID, H. M., see WIEDMANN, W. M., (2) 363
SCHOLLENBERGER, C. S., DINBERGS, K., AND STEWART, F. D., Thermoplastic polyurethane elastomer melt polymerization study, (1) 137
SCHULTZ, D. L., High performance elastomers for automotive and oil-field applications (abstract), (1) 265
SCHULZ, D. N., TURNER, S. R., AND GOLUB, M. A., Recent advances in the chemical modification of unsaturated polymers (review), (3) 809
SEIL, D. A., see MAYERS, R. J., (abstract), (1) 255
——, see NAKAJIMA, N., (2) 456
SESSIONS, W. J., see O'CONNOR, J. M., (1) 88
SETUS, D. K., see CHAKRABORTY, S. K., (5) 1286
SHEARD, E. A., Castable elastomer product markets in the eighties (abstract), (1) 261
SHELTON, J. R., see CHEN, C. H., (1) 103; (4) 1221
SHERSHNEV, V. A., Vulcanization of polydiene and other hydrocarbon elastomers (review), (3) 537
SHIEH, C. H., see HAMED, G. R., (5) 1469
SIMPSON, B. D., see KLIEVER, L. B., (abstract), (1) 284
SIRCAR, A. K., Basic concepts of thermal analysis in elastomer systems (abstract), (1) 280
—— AND WELLS, J. L., Thermal conductivity of elastomer vulcanizates by differential scanning calorimetry, (1) 191
SMITH, R. G., see RIVIN, D., (3) 707
SMITH, R. W. AND VEITH, A. G., Electron microscopical examination of worn tire treads and tread debris, (2) 469
SOUFFIE, R. D., Segmented polyether-ester copolymers—thermoplastic elastomers (abstract), (5) 1588
STARITA, J. M., Rheological characteristics of rubber and relation to processing and performance (abstract), (5) 1583
STEPHENS, H. L., see KELLER, R. W., (1) 161
STEVENSON, A., see LINDLEY, P. B., (2) 337
STEWART, F. D., see SCHOLLENBERGER, C. S., (1) 137
STEWART, R. G., see MERGES, J., (abstract), (1) 275
STINSON, D., see BELL, G. L., (1) 66
STIVERS, D. A., see CAMPBELL, R. R., (4) 1137
SUNG, P. H., see MARK, J. E., (5) 1464
SYLVEST, R. T., BARNES, C., WARREN, N. E., AND WORSLEY, W. R., Vulcanization of chlorinated polyethylene (abstract), (1) 262

TABB, D. L. AND FINLAY, J. B., A new gelled fluoroelastomer, (4) 1152
TADMOR, Z., see MANAS-ZLOCZOWER, (5) 1250
THOMAS, A. G., see BELL, G. L., (1) 66
TOMLINSON, RICHARD W., Improved adhesion of EPDM sulfur vulcanizates to RFL-treated fabrics, (5) 1516
TOPCIK, BARRY, Processing rubber compounds with polymeric dispersions of rubber chemicals by automated pellet feeding technology, (4) 1019
TOWNSON, G., Injection molding—where it is going (abstract), (1) 285
TURNER, J. L. AND FORD, J. L., Interply behavior exhibited in compliant filamentary composite laminates, (4) 1078
TURNER, S. R., see SCHULZ, D. N., (3) 809
TVEEKREM, J. O., see BÖHM, G. G. A., (3) 575

UCHIJIMA, K., see HULL, D. E. (abstract), (1) 266

VANDENBERG, E. J., Discovery and development of epichlorohydrin elastomers (abstract), (5) 1578
VEITH, A. G., see SMITH, R. W., (2) 469
VERBISCAR, A. J., see BANIGAN, T. F., (2) 407
VERGNAUD, J. M., see ACCETTA, A., (2) 328; (4) 961

WALKER, B. M., Thermoplastic elastomers—overview and trends (abstract), (5) 1581
WALKER, J., see BRIGGS, G. J., (abstract), (1) 262

WALLACE, A. J., see YOUNG, D. G., (2) 428
WARDELL, G. E. AND MCBRIERTY, V. J., NMR of reinforced elastomers. Part II. The influence of carbon black dispersion, (4) 1095
WARREN, N. E., see SYLVEST, R. T., (abstract), (1) 262
WEI, Y. K., see BRIGGS, G. J., (abstract), (1) 262
WELLS, J. L., see SIRCAR, A. K., (1) 191
WHITE, J. L., see MONTES, S., (5) 1354
WIEDMANN, W. M. AND SCHMID, H. M., Optimization of rubber mixing in internal mixers, (2) 363
WILDER, C. R. AND HAWS, J. R., Effects of carbon black surface area and structure on the work required for mixing into rubber (abstract), (1) 256
WILLE, F. J., see GOETTLER, L. A., (5) 1448
WILLIAMS, D., see CORAN, A. Y., (1) 116; (addendum) (2) 536; (4) 1063
WINTER, J. P., Syndiotactic 1,2-polybutadiene film and bags as compatible packages for rubber compounding (abstract), (1) 279
WOLFF, S., Optimization of silane-silica OTR compounds. Part I: Variations of mixing temperature and time during the modification of silica with bis-(3-triethoxisilylpropyl)-tetrasulfide, (4) 967
WOODS, W. C., see PARIS, W. W., (2) 494
WORSLEY, W. R., see SYLVEST, R. T., (abstract), (1) 262

YOUNG, D. G., KRESGE, E. N., AND WALLACE, A. J., Fundamental flex fatigue studies of tire sidewall materials, (2) 428

SUBJECT INDEX*

Abrasion, of elastomers, ridge formation in, (4) 1055
of rubber, (3) G70
Accelerator systems, for injection molding, (2) 494
Adhesion, effect of brass powder in rubber vulcanizates on, (4) 1170
of elastomers, chemical bonding in, (2) 525
of EPDM vulcanizates, to resorcinol/formaldehyde-treated fabrics, (5) 1516
of rubber to steel tire cord under cyclic loading (abstract), (1) 264
Adhesion theory, Lewis acid-base interactions (review), (3) 881
Adhesives, from rubber-styrene block copolymers, (1) 208
peel strength, rheological aspects of, (2) 483
Agglomerate rupture, basis for model dispersive mixing, (5) 1250
Akron Polymer Conference, 13th, program, (1) G29
Alfas, tetrafluoroethylene/propylene elastomer (abstract), (1) 266
Analytical methods, for tackifying resins, (2) 442
Asphalt, modified by butadiene block polymers, (5) 1389
use of powdered scrap rubber in, (5) 1233
Atmospheric curability, of fluoroelastomers with gelled fluoroelastomer and peroxide, (4) 1152
Authors, guide for, (3) G57
Autohesion, flow criterion for, (5) 1469
of elastomers, (5) 1308
Automotive elastomers, marketing (abstract), (1) 260
Automotive rubber products (abstract), (1) 265

Bis-(3-triethoxisilylpropyl)-tetrasulfide, for modification of silane-silica for tread rubber, (4) 967
Blends, of EPDM and polybutadiene (BR), morphology-property relations, (1) 151
of natural rubber and SBR rubber, tackification studies, (2) 416
Block copolymers, rubber-styrene, in adhesives, (1) 208
Bonding systems, for short jute fiber and rubber, (2) 287
Book Reviews
The Chain Straighteners, Frank M. McMillan, (1) G26
Combustion of Organic Polymers, C. F. Cullis, and M. N. Hirschler, (4) G103
Developments in Polymer Stabilisation—5, Gerald Scott, Ed., (5) G115
Developments in Rubber Technology—2, A. Whelan and K. S. Lee, Eds., (1) G25
Emulsion Polymerization, Irja Piirma, Ed., (5) G114
Emulsion Polymerization and its Applications in Industry, V. I. Eliseeva, S. S. Ivanchev, S. I. Kuchanov, and A. V. Lebedev (Translation, Sylvia J. Teague), (5) G114
Flow Properties of Polymer Melts, second (revised) edition, J. A. Brydson, (5) G118
Fundamental Principles of Polymeric Materials, Stephen L. Rosen, (5) G116
Kautschuk-Technologie, Werner Hofmann, (1) G25
Polymer Science Overview: A Tribute to Herman F. Mark, G. Allan Stahl, Ed., (5) G119
Polymers and Their Properties. I. Fundamentals of Structure and Mechanics, J. W. S. Hearle, (4) G103
Practical Rubber Compounding and Processing, Colin W. Evans, (2) G41
Principles of Polymerization, George Odian, (2) G41
The Technology of Plasticizers, J. Kern Sears and Joseph R. Darby, (5) G113
Thermal Characterization of Polymeric Materials, Edith A. Turi, (5) G117
Braking systems, regenerative, elastomers in, (1) 219
Brass, configuration on plated steel wires for tire cord, (2) 513
Brass powder, in rubber vulcanizates, effect on adhesion, (4) 1170
Butadiene block polymers, for modifying asphalt, (5) 1389
Butyl rubber, carbon black-loaded, dynamic mechanical properties (5) 1403

Carbon black, characterization and quantitative determination with thermogravimetry, (2) 382
comparison with soot (abstract), (1) 257
environmental health aspects (review), (3) 707
in oil, dynamic mechanical properties, frequency and temperature dependence, (5) 1569
in oil, response to low-amplitude dynamic stress, (5) 1547

*Prepared by L. W. Brock

influence on reversion in sulfur-accelerated vulcanization, (1) 103
outlook (abstract), (1) 274
physicochemical characterization (review), (3) 669
reinforcement of rubber by (review), (4) 1180
theoretical model for mixing with rubber, (5) 1250
Carbon black dispersion, study of influence in reinforcement by nuclear magnetic resonance, (4) 1095
Carbon black-loaded butyl (IIR) and polyisobutylene (IM) rubber, dynamic mechanical properties, (5) 1403
Carbon black surface area, effect on rubber mixing (abstract), (1) 256
Carbon black–vulcanization system interactions, effects on natural rubber network structures, (1) 23
Carboxylated nitrile rubber (XNBR), silica- and clay-reinforced, vulcanization, (4) 990
Castable elastomer products, marketing (abstract), (1) 261
Chain branching, of polyisoprene (IR), influence on glass transition behavior, (1) 245
Chain entangling, elastic contribution in tightly crosslinked elastomer, (1) 62
Chain extension studies, related to end-linking in polyurethane networks, (5) 1464
Chemical bonding, role in adhesion of elastomers, (2) 525
Chemical modification, of unsaturated polymers (review), (3) 809
Chlorinated polyethylene, vulcanization (abstract), (1) 262
Chlorinated rubbers, hydrocarbon solvent resistance, molecular interpretation of (abstract), (1) 254
Chlorobutyl rubber, development (abstract), (5) 1584
Chlorosulfonated polyethylene elastomer, injection molding (abstract), (1) 283
Chromatography, for analysis of rubber (abstract), (1) 278
pyrolysis-gas, pyrolysis tuning (abstract), (1) 277
Clay-reinforced carboxylated nitrile rubber (XNBR), vulcanization of, (4) 990
Cobalt naphthenate, adhesion promoter for EPDM on resorcinol-formaldehyde-treated fabrics, (5) 1516
Composites, of short jute fibers and rubber, (2) 287
Compounding variables, effect on injection molding of styrene-butadiene thermoplastic elastomers (abstract), (1) 284
Compression, of natural rubber, fatigue resistance, (2) 337
Cord load variations, in giant earthmover tires, by finite element analysis, (4) 1044
Creativity and innovation, in elastomer research (abstract), (5) 1582
Crosslink densities of elastomers, experimental determination (review), (3) 762
Crosslinked elastomer, contribution of chain entangling, (1) 62
Crosslinking, relation to heat buildup, (2) 382
Cure cycles, accurate calculation for rubber products (abstract), (1) 263
Curing agents, diffusion, (5) 1482
Curing efficiency, in elastomeric polyurethane networks, (5) 1464
Cutting and chipping tester, for heavy-duty tire treads, (5) 1531

Deflashing, with liquid nitrogen (abstract), (1) 256
Degradative effect, of guayule resin on natural rubber, (1) 161
Degradative studies and plasticity retention index, in natural rubber, (1) 181
Devulcanization, of scrap rubber, through phase transition catalysis, (5) 1499
Diene polymers, NMR determination of structures (review), (3) 769
Differential scanning calorimetry, for measuring thermal conductivity of vulcanizates, (1) 191
Diffusion, of curatives, (5) 1482
Disilazane-treated fumed silica, effects on silicone elastomers (1) 233
Dynamic mechanical properties, of carbon black-agglomerated networks, (5) 1547
of carbon black in oil, frequency and temperature dependence, (5) 1569
of carbon black-loaded butyl (IIR) and polyisobutylene (IM) rubbers, (5) 1403
Dynamic stress, low amplitude, at audio-frequencies, response of carbon black in oil to, (5) 1547

Elastomer melt polymerization, study with polyurethane, (1) 137
Elastomer research, creativity and innovation in (abstract), (5) 1582
Elastomeric networks, experimental determination of crosslink densities (review), (3) 762
Elastomers, for regenerative braking systems, (1) 219
U.S.A. consumption outlook (abstract), (1) 268
world consumption outlook (abstract), (1) 268
Electron microscope, for examination of worn tire treads and tread debris, (2) 469
End-linked elastomer networks, (1) 1
End-linking, of polyurethane networks, (5) 1464
Energy balance, in mixing elastomers with the internal mixer, (2) 456
Energy measures, in mixing (review), (3) 931
Environmental health aspects, of carbon black (review), (3) 707
EPDM-polybutadiene blends, morphology-property relations, (1) 151

Epichlorohydrin elastomers, discovery and development (abstract), (5) 1578
Epoxies, rubber-modified, transitions, morphology, and mechanical properties (abstract), (5) 1592
Ethylene-propylene-diene polymers (EPDM), adhesion to resorcinol-formaldehyde-treated fabrics, (5) 1516

Fatigue behavior, of rubber-toughened plastics (abstract), (5) 1589
Fatigue failure, of natural rubber, studied by scanning electron microscopy, (1) 51
Fatigue resistance, of natural rubber in compression, (2) 337
Fillers, for the rubber industry (review), (3) 860
Finite element analysis, of giant earthmover tires, (4) 1044
Finite element modeling, of interply behavior in cord-rubber laminates, (4) 1078
Flex fatigue, of tire sidewall materials, (2) 428
Flex life, of fluorosilicones (abstract), (1) 272
Flow criterion, for elastomer tack, (5) 1469
Flue duct expansion joints, of fluoroelastomers, (4) 1137
Fluid immersion, long term effects on polyacrylic elastomers (abstract), (1) 255
Fluoroelastomer, gelled, (4) 1152
Fluoroelastomers, curing of by peroxides, (4) 990
  for pollution control, (4) 1137
  resistant to harsh fluids (abstract), (1) 271 (review), (3) 902
Fluorosilicones compounding for flex life (abstract), (1) 272
Fourier transform spectroscopy, in rubber analysis (review), (3) 913
Free energy, linear, in prevulcanization inhibitors, (2) 352

Gas chromatography/mass spectrometry, for trace organics in rubber products (abstract), (1) 280
Gelled fluoroelastomer, for improving extrusion and calendering of fluoroelastomers, (4) 1152
Glass transition behavior, of polyisoprene (IR), (1) 245
Gordon Research Conference on Elastomers, program for July 19-23, 1982, (1) G27; (2) G43
Guayule, analysis for natural rubber in shrub by IR spectrophotometry, (2) 407
Guayule resin, degradative effect on natural rubber, (1) 161
Guayule-rubber blend, composition and mechanical properties, (5) 1328
  rheological properties, (5) 1341

Heat buildup, relation to crosslinking, (2) 382
Heat transfer, in mixing of elastomers with the internal mixer, (2) 456
High performance elastomers, for automotive and oil-field use (abstract), (1) 265
Hydrocarbon solvent resistance, in nitrile and chlorinated rubbers, molecular interpretation (abstract), (1) 254

Impact strength, by Izod test (abstract), (5) 1591
Industrial applications, of radiation of elastomers (review), (3) 575
Industrial products markets in the eighties (abstract), (1) 259
Infrared spectrophotometric analysis, for natural rubber in guayule shrub, (2) 407
Infrared spectroscopy, computerized, in rubber analysis (review), (3) 913
Inhibitors, of prevulcanization, linear free energy relations, (2) 352
Injection molding, accelerator systems for, (2) 494
  elastomers for (abstract), (1) 282
  importance (abstract), (1) 285
  improvement with processing agents (abstract), (1) 284
  nontraditional techniques (abstract), (1) 285
  of chlorosulfonated polyethylene elastomer (abstract), (1) 283
  of styrene-butadiene thermoplastic elastomers, effect of variables (abstract), (1) 284
Innovation, relation to the S-curve (abstract), (5) 1586
Internal mixers, optimizing rubber mixing in, (2) 363
International Rubber Science Hall of Fame, (2) G46
Interply behavior, in compliant filamentary composite laminates, (4) 1078
Izod test, for toughness of polymers (abstract), (5) 1591

Jute fibers, short, in carboxylated nitrile rubber (XNBR), (5) 1286
  short, reinforcement for rubber composites, (2) 287

Kelsey strip, mathematical model for cord-rubber composites, (4) 1078
Kinetics, of degradation in natural rubber, (1) 181

Lewis acid-base interactions and adhesion theory (review), (3) 881
Liquid chromatography/mass spectrometry, for characterizing tackifying resins, (2) 442
Liquid nitrogen deflashing (abstract), (1) 256

Machine variables, effect on injection molding of styrene-butadiene thermoplastic elastomers (abstract), (1) 284
Macromolecular Secretariat Symposium, abstracts of papers (March 29-April 1, 1982), (2) G36

Market research, role in the rubber industry (abstract), (1) 267
Marketing, of automotive elastomers (abstract), (1) 260
of castable elastomer products (abstract), (1) 261
Markets, for industrial products in the eighties (abstract), (1) 259
for nontire rubber products in the eighties (abstract), (1) 258
for tires in the eighties (abstract), (1) 259
Mastication, of rubber, theory and present practice, (2) 309
Melt polymerization, of thermoplastic polyurethane, (1) 137
Metallographic cross sections, for examination of brass-plated steel tire cords, (2) 513
Microstructure, of polyisoprene (IR), influence on glass transition behavior, (1) 245
Migration rates, of compounding ingredients, (5) 1482
Mixing, dispersive, theoretical model, (5) 1250
energy balance and heat transfer of elastomers in internal mixer, (2) 456
energy measures in (review), (3) 931
of rubber, optimization in internal mixers, (2) 363
laboratory, use of power integrator for control (abstract), (5) 1589
Molecular weight, influence on glass transition behavior of polyisoprene (IR), (1) 245
Mooney rheometer, slow-speed transient torque measurements for calculation of complex viscosities, (5) 1426
Morphology, of rubber-modified epoxies (abstract), (5) 1592
Morphology-property relations, in EPDM-polybutadiene blends, (1) 151

Natural rubber (NR), blends with SBR, tackification studies, (2) 416
degradative effect on guayule resin on, (1) 161
trends (abstract), (1) 269
Neoprene (CR), the first high performance elastomer (abstract), (1) 264
Network structure, of natural rubber, as affected by reinforcing silica, (5) 1370
effects of carbon black-vulcanization interactions, (1) 23
Networks, end-linked, formation and structure, (1) 1
Nitrile rubber, carboxylated (XNBR), reinforced with short jute fibers, (5) 1286
——, ——, tear, (1)
——, ——, vulcanization of silica- and clay-reinforced, (4) 990
——, hydrocarbon solvent resistance, molecular interpretation (abstract), (1) 254
5-Norbornene-2,3-dicarboxylic anhydride, adhesion promoter for EPDM with resorcinol-formaldehyde treated fabrics, (5) 1516
Nuclear magnetic resonance, computerized, in rubber analysis (review), (3) 913
for determination of diene polymer structures (review), (3) 769
in study of carbon black reinforcement, (4) 1095

Oil-field rubber products (abstract), (1) 265

Peel strength, of rubbery adhesives, rheological aspects, (2) 483
Pellet feeding technology, automated, for polymeric dispersions of rubber chemicals, (4) 1019
Peptizing agents, for mastication of rubber, (2) 309
Peroxides, for curing of fluoroelastomers, (4) 990
Petroleum additives, outlook (abstract), (1) 275
Petroleum extender oils, effect of type on radial styrene block thermoplastic elastomers (YSBR), (5) 1437
Phase transfer catalysts, for scission of polysulfide links in scrap rubber, (5) 1499
Phosphonitrile fluoroelastomer (abstract), (1) 271
Physicochemical characterization, of carbon black (review), (3) 669
Plasticity retention index, and degradation in natural rubber, (1) 181
Plasticizers, outlook (abstract), (1) 275
Plastics, use of rubber for toughening (abstract), (5) 1589
Pollution control, use of fluoroelastomers, (4) 1137
Polyacrylic elastomers, effects of long term immersion (abstract), (1) 255
Polybutadiene, syndiotactic 1,2-m for packaging rubber compounding materials (abstract), (1) 279
Polybutadiene-urethane, thermal transition and relaxation, (5) 1413
Polychloroprene (CR), synergistic curing system for, (4) 949
Polydiene elastomers, vulcanization (review), (3) 537
Polydimethylsiloxane networks, stress-strain behavior of randomly crosslinked, (4) 1108
Polyether-ester segmented copolymers, thermoplastic elastomers (abstract), (5) 1588
Polyethylene, chlorinated, vulcanization (abstract), (1) 262
Polyisobutylene, carbon black-loaded, dynamic mechanical properties, (5) 1403
Polyisoprenes, cis-1,4, natural and synthetic, rheology, (5) 1354
study of glass transition behavior, (1) 245
Polymeric dispersions, of rubber chemicals, automated pellet feeding technology, (4) 1019

Polyolefins, thermoplastic, rheology and processing, (5) 1448
Polytetramethylene ether glycol, effect on MDI/BDO-based polyurethanes, (1) 76
Polyurethane networks, end-linking, (5) 1464
Polyurethanes, thermoplastic, melt polymerization study, (1) 137
MDI/BDO-based, effect of polytetramethylene ether glycol, (1) 76
segmented, thermal transition and relaxation, (5) 1413
thermoplastic, outlook (abstract), (5) 1586
Powdered rubber, from scrap, use in asphalt and rubber compounds, (5) 1233
Power integrator, for control of laboratory mixing (abstract), (5) 1589
Prevulcanization inhibitors, linear free energy relationship involving, (2) 352
Processing, of olefin-based thermoplastic vulcanizates, (5) 1448
of rubber, rheological considerations (abstract), (5) 1583
Processing agents, for improving injection molding (abstract), (1) 284
Propylene–tetrafluoroethylene elastomer (abstract), (1) 266
Pyrolysis–gas chromatography, pyrolysis tuning (abstract), (1) 277

Quality assurance, swelling as a test for (abstract), (1) 255

Radial tire, development (abstract), (5) 1585
Radial tires, interply behavior, (4) 1078
Radiation chemistry, of elastomers (review), (3) 575
Randomly crosslinked networks, of polydimethylsiloxane, (4) 1108
Recycling, of scrap tires, for vibration absorbing uses, (4) 961
of scrap tires, by preparation of powdered rubber, (5) 1233
Reinforcement, of rubber by carbon black (review), (4) 1180
of rubber by carbon black, nuclear magnetic resonance for studying, (4) 1095
Reinforcement mechanism, of silica in the presence of additives, (5) 1370
Research management, innovation and productivity (abstract), (5) 1586
Resorcinol–formaldehyde-treated fabrics, improved adhesion to EPDM, (5) 1516
Reversion, influence of carbon black in sulfur-accelerated vulcanization, (1) 103
Rheological aspects, of peel strength of rubbery adhesives, (2) 483
Rheological characteristics, of rubber, in relation to processing (abstract), (5) 1583
Rheological properties, of guayule–rubber blends, (5) 1341
Rheology, of natural and synthetic cis-1,4-polyisoprenes, (5) 1354
of olefin-based thermoplastic vulcanizates, (5) 1448
Ridge formation, during abrasion of elastomers, (4) 1055
Rolling resistance, of tires, reduced with SBR (abstract), (1) 261
Rubber, for high performance applications (abstract), (1) 273
Rubber–brass reactions, studied by use of brass powder in vulcanizates, (4) 1170
Rubber chemicals, outlook (abstract), (1) 274
polymeric dispersions, automated pellet technology for feeding, (4) 1019
Rubber compounding materials, syndiotactic 1,2-polybutadiene for packaging (abstract), (1) 279
Rubber crumb, characterization, (5) 1233
Rubber Division, ACS
Best Paper Awards, (1) G12; (4) G90
bylaws, (1) G15
Charles Goodyear Medalist, (3) G66
guide for authors, (3) G57
information in previous issues, (1) G10; (2) G34; (3) G52; (4) G88; (5) G108
library and information service, (1) G13; (2) G38; (3) G54; (4) G100; (5) G110
officers, executive committee, and staff, (1) G1; (2) G33; (3) G51; (4) G87; (5) G107
papers published in Rubber Chemistry and Technology, (1) G32; (2) G50; (3) G86; (4) G106; (5) G122
policy on technical papers, (1) G24; (2) G40; (3) G56; (4) G102; (5) G112
program for 1982 Fall meeting, (4) G91
program for 1982 Spring meeting, (1) G3
selection of papers for Rubber Chemistry and Technology, (4) 106; (5) G122
symposia at future meetings, (2) G35; (3) G53; (4) G89; (5) G109
1981 statistics on original papers received, accepted and published in Rubber Chemistry and Technology, (4) G99
Rubber elasticity, (4) 1123
Rubber friction, (3) G70
Rubber industry, outlook for the eighties (abstract), (1) 277
Rubber mixing, effect of carbon black surface area and structure (abstract), (1) 256
Rubber-modified epoxies, transitions, morphology, and mechanical properties (abstract), (5) 1592
Rubber processing equipment, outlook (abstract), (1) 276
Rubber products, accurate calculation of cure cycle (abstract), (1) 263
nontire, markets (abstract), (1) 258
Rubber–styrene block copolymer adhesives, (1) 208
Rubber–thermoplastic compositions, selecting polymers for, (1) 116; (addendum), (2) 536

Scanning electron microscope, for study of ridge formation during abrasion of rubber, (4) 1055
Scanning electron microscopy, fatigue fail-

ure of natural rubber studied by, (1) 51
of brass-plated steel tire cords, (2) 513
tear of carboxylated nitrile rubber (XNBR) studied by, (1) 41
Scrap rubber, scission of polysulfide crosslinks through phase transition catalysis, (5) 1499
Scrap rubber powder, for use in asphalt and rubber compounds, (5) 1233
vibration isolation properties of, (2) 328
Scrap tires, powdered, as raw material for vibration damping material, (4) 961
Shear viscosity, of cis-1,4-polyisoprenes, (5) 1354
Sidewalls, flex fatigue studies of materials for, (2) 428
Silane-silica, optimization of tread compound containing, (4) 967
Silica, fumed, treated with functional disilazanes, effects on silicone elastomers, (1) 233
reinforcing, effect on vulcanization and network structure of natural rubber, (5) 1370
Silica-reinforced carboxylated nitrile rubber (XNBR), vulcanization, (4) 990
Silicone elastomers, effects of fumed silica treated with functional disilazanes, (1) 233
Silicone rubber, properties not related to thermal stability (abstract), (1) 266
Special applications, for high-performance rubber (abstract), (1) 273
Spectrophotometric analysis, infrared, for natural rubber in guayule shrub, (2) 407
Standard Malaysian rubber scheme, relation of plasticity retention index and degradation, (1) 181
Stress, dependence on elongation, temperature and network structure, (4) 1123
Stress analysis, of giant tires, by finite element analysis, (4) 1044
Stress-strain behavior, of randomly crosslinked polydimethylsiloxane, (4) 1108
Styrene block copolymers, current uses (abstract), (5) 1582
Styrene block thermoplastic elastomers, radial, effect of petroleum extender oils on, (5) 1437
Styrene-butadiene rubber (SBR), blend with natural rubber, tackification studies, (2) 416
for reduced rolling resistance (abstract), (1) 262
Styrene-butadiene triblock copolymers, in rheological study of rubbery adhesive peel strength, (2) 483
Styrene-isoprene-styrene block copolymers, discovery and development (abstract), (5) 1579
Sulfur-accelerated vulcanization, effect of carbon black on reversion during, (1) 103
Swelling, as a quality assurance test (abstract), (1) 255
of vulcanized rubber-plastic compositions in fluids, (4) 1063
Synergistic curing systems, for polychloroprene (CR), (4) 949

Tack, of elastomers, flow criterion, (5) 1469
Tackification studies, on natural rubber/styrene-butadiene rubber blends, (2) 416
Tackifying resins, analysis of, (2) 442
Tear, of carboxylated nitrile rubber (XNBR) studied by scanning electron microscopy, (1) 41
Tensile strength, of natural rubber at elevated temperature, (1) 66
Terminal hydroxy groups, influence on glass transition behavior of polyisoprene (IR), (1) 245
2,2′-4,4′-tetrahydroxydiphenyl sulfide, in synergistic curing system for polychloroprene (CR), (4) 949
Thermal analysis, in elastomer systems (abstract), (1) 280
in the rubber industry, (abstract), (1) 281
Thermal conductivity, determination by differential scanning calorimetry, (1) 191
Thermal transition and relaxation, of segmented polyurethanes, (5) 1413
Thermogravimetry, for characterization and quantitative determination of carbon black, (2) 383
Thermoplastic elastomers, based on aromatic dicarboxylic acids, polyether glycols and short chain diols, development (abstract), (5) 1580
based on styrene block copolymers, current uses (abstract), (5) 1582
cost and use considerations (abstract), (5) 1580
outlook for the eighties (abstract), (1) 270
overview and trends (abstract), (5) 1581
polyether-ester copolymers (abstract), (5) 1588
rheology and processing, (5) 1448
three-block copolymers (SIS), discovery and development (abstract), (5) 1579
Thermoplastic polyurethanes, outlook (abstract), (5) 1586
Thermoplastic rubber, based on guayule-rubber blend, composition and mechanical properties, (5) 1328
based on guayule-rubber blends, rheological properties, (5) 1341
Thermoplastic vulcanizates, swelling of in fluids, (4) 1063
Time- and temperature-dependence, of carbon black-rubber interactions, (4) 1180
Tire cord, steel, adhesion to rubber under cyclic loading (abstract), (1) 264
steel, configuration of brass on plated, (2) 513
Tire markets, in the eighties (abstract), (1) 259
Tire scrap, vibration isolation properties of powdered, (2) 328

Tire sidewalls, flex fatigue studies of materials for, (2) 428
Tire tread, heavy-duty, cutting and chipping tester for, (5) 1531
worn, examination by electron microscopy, (2) 469
Tires, contact with road, (3) G70
giant earthmover, finite element analysis of, (4) 1044
off-the-road, cutting and chipping tester for, (5) 1531
off-the-road, optimized with modified silane-silica compounds, (4) 967
reduced rolling resistance with SBR (abstract), (1) 261
Torque measurement, transient, for calculation of complex viscosities, (5) 1426
Toughening agents, rubber, for plastics (abstract), (5) 1589
Toughness measurements, impact strength determined by Izod (abstract), (5) 1591
Trace residual organics, detecting in rubber products with gas chromatography/mass spectrometry (abstract), (1) 280
Tread debris, examination by electron microscope, (2) 469
Triallylisocyanurate, coagent for curing of fluoroelastomers with peroxides, (4) 990
Ultra high modulus fluoroelastomers, for oil and geothermal use, (4) 1152
Unsaturated polymers, chemical modification (review), (3) 809
Urethane liquid elastomers, one-component, (1) 88

Vibration absorbing materials, from recycled scrap tires, (4) 961
Vibration isolation properties, of scrap rubber powder, (2) 328
Viscoelastic functions, of carbon black-in-oil, frequency dependence, (5) 1569
Viscosities, complex, calculation from slow speed transient torque measurements, (5) 1426
Vulcanization, of chlorinated polyethylene (abstract), (1) 262
of polydiene elastomers (review), (3) 537
and network structure, effect of reinforcing silica, (5) 1370

World elastomer consumption outlook (abstract), (1) 268

Yield and fatigue behavior, of rubber-toughened plastics (abstract), (5) 1589